

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6477683".pn. and "status register"	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 08:44
L2	1	"5594813".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 08:44
L3	37	("5594813").URPN.	USPAT	OR	OFF	2005/06/23 08:46
S1	203	717/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/10 12:41
S2	30112	asic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/10 12:41
S3	4	asic and (second adj (processor adj core)) and die	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/10 12:57
S4	161	(synthesizing or systhesis) near3 (integrated adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/10 12:58
S5	19	(synthesizing or systhesis) near3 (integrated adj circuit) and (functional near3 description)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/10 12:58
S6	4	("6678645" "6477683").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:24
S7	8	("5801958" "5903475" "6009256" "6094726" "6269467" "6304837" "6360353" "6532561").PN.	USPAT	OR	OFF	2004/04/15 15:21
S8	301	soc and (exten\$5 and (instruction adj set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:24

S9	1	soc same (exten\$5 and (instruction adj set)) same dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:25
S10	24	soc same (exten\$5 and (instruction adj set)) and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:25
S11	28	soc same (instruction adj set) same dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:28
S12	901	(instruction adj set) same dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:31
S13	2	(generat\$3 near3 (instruction adj set)) same dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:29
S14	359	(instruction adj set) near5 dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:31
S15	10	((custom\$7 or exten\$5 or generat\$3 or creat\$3 or develop\$3) near3 (instruction adj set)) near5 dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:34
S16	3	(compress\$3 and ratio) near5 (instruction adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:38
S17	288	712/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:54
S18	1262	soc and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:54

S19	31	(soc and dsp) same ((instruction adj set) or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:59
S20	4	("5666510" "6230259" "6349380" "6574722").PN.	USPAT	OR	OFF	2004/04/15 15:56
S21	26438	hal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:59
S22	198	hal and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:59
S23	215	ip adj core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 15:59
S24	48	ip adj core and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/15 16:01
S25	12	ip adj core and dsp and ((instruction adj set) adj simulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 16:04
S26	154	((instruction adj set) adj simulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 16:43
S27	37	dsp and (plurality near3 (processor or pu or (processing adj unit))) near3 (chip or silicon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 16:44
S28	0	"6408428.pn",	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/19 08:28

S29	2	"6408428".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/19 08:28
S30	1	"6408428".pn. and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/19 08:32
S31	1	"6408428".pn. and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/19 08:33
S32	0	"6408428".pn. and (control or status) adj register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/19 08:33
S33	0	"6408428".pn. and conditional near3 result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:34
S34	0	"6701515".pn. and conditional near3 result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:35
S35	2	"6701515".pn. and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:36
S36	1462	compression adj ratio and ???/???. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:37
S37	315	compression adj ratio and soc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:37
S38	28	compression adj ratio same soc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:38

S39	0	compression adj ratio same soc and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:38
S40	1	compression adj ratio same soc and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:39
S41	233	compression adj ratio same (instruction or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:39
S42	1	compression adj ratio near5 (instruction or isa) and soc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:39
S43	39	compression adj ratio near5 (instruction or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:42
S44	3	determin\$3 near3 (compression adj ratio) near5 (instruction or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:43
S45	901	determin\$3 near3 (compression adj ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:43
S46	83	determin\$3 near3 (compression adj ratio) and ???/??? .ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:47
S47	18	determin\$3 near3 (compression adj ratio) same (isa or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:49
S48	0	determin\$3 near3 (compression adj ratio) same risc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:49

S49	1	determin\$3 near3 compression same risc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:50
S50	0	determin\$3 near3 (compression near3 (ratio or metric or metadata or meta-data)) same risc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:51
S51	18	determin\$3 near3 (compression near3 (ratio or metric or metadata or meta-data)) same (instruction or isa or risc or cisc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:54
S52	1	asic near5 dsp and soc and (extension near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:56
S53	1851	asic near5 dsp same (extension near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:56
S54	2	asic near5 dsp same (extension near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:57
S55	0	(plurality or multiple) near3 dsp same (extension near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:57
S56	416	(plurality or multiple) near3 dsp and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 08:58
S57	5	(plurality or multiple) near3 dsp same extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 09:05
S58	5	"5418976".URPN.	USPAT	OR	OFF	2004/04/19 09:00
S59	5	(plurality or multiple or multi) near3 dsp same extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 09:09

S60	3	(*6240340 "6009370" "5794165").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 09:06
S61	4	("6240340" "6009370" "5794165").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 09:07
S62	3	"6240340".URPN.	USPAT	OR	OFF	2004/04/19 09:08
S63	40008	(plurality or multiple or multi) near3 core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 09:09
S64	181	(plurality or multiple or multi) near3 core and extension and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 09:10
S65	154	(plurality or multiple or multi) near3 core and extension and dsp and (ic or asic or chip or die or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/19 13:47
S66	147	(plurality or multiple or multi) near3 core and extension and dsp and (ic or asic or chip or die or status) and (slots or opcode or op-code or (operation adj code) or bit or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 07:50
S67	1	"6408428".pn. and (assembly or assembler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 08:48
S68	1	"6408428".pn. and pipelin\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:41
S69	1	"6408428".pn. and (register or conditional or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/26 15:43

S70	17	("5361373" "5418976" "6223274" "6266807" "6408382" "6408428" "6477683" "6651160" "6701515").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 17:44
S71	2	"6408428".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:35
S72	1	"6587939".pn. and type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 07:41
S73	1	"6408428".pn. and risc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 07:44
S74	0	"6408428".pn. and asic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 07:45
S75	0	"6587939".pn. and asic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 07:45
S76	430	"5493508" "5535331" "5544067" "5555201" "5801958" "5867399" "6173434" "6324678" "6378123" "6421818" ("6477697" "6760888" "6862563").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 17:17
S77	26	("5493508" "5535331" "5544067" "5555201" "5801958" "5867399" "6173434" "6324678" "6378123" "6421818" "6477697" "6760888" "6862563").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:34
S78	88	dsp same risc and "32" and "16" and ((instruction or "op code" or operation) near3 (frequency or count or benchmark or profil\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 10:01
S79	88	dsp same risc and "32" and "16" and ((instruction or "op code" or operation) near3 (frequency or count or benchmark or profil\$3)) and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 08:23

S80	102	dsp same risc and "32" and "16" and ((instruction or "op code" or operation) near3 (frequency or count or benchmark or profil\$3)) and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) and ("instruction set" or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 10:39
S81	9	metacore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 08:29
S82	0	("6862563").URPN.	USPAT	OR	OFF	2005/06/21 08:33
S83	0	("6862563").URPN.	USPAT	OR	OFF	2005/06/21 08:34
S84	46	("20030208723" "5361373" "5404319" "5450586" "5491640" "5493508" "5502661" "5535331" "5537580" "5544067" "5555201" "5696956" "5748875" "5801958" "5812416" "5819050" "5819064" "5841663" "5854929" "5854930" "5867399" "5870588" "5898595" "5994892" "5999734" "6006022" "6026219" "6035123" "6110223" "6173434" "6182206" "6195593" "6226776" "6269467" "6317860" "6321369" "6324678" "6360350" "6378123" "6385757" "6408428" "6421818" "6457173" "6477683" "6477697" "6637018").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/21 08:35
S85	10	("6408428").URPN.	USPAT	OR	OFF	2005/06/21 08:40
S86	0	("6892293").URPN.	USPAT	OR	OFF	2005/06/21 08:48
S87	0	("6862563").URPN.	USPAT	OR	OFF	2005/06/21 08:50
S88	5	("5537341" "5550839" "5673198" "5815405" "6408428").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/21 08:54

S89	0	("5493508" "5535331" "5544067" "5555201" "5801958" "5867399" "6173434" "6324678" "6378123" "6421818" "6477697" "6760888" "6862563").pn. and ((dsp same risc) and (("32" and "16") near5 (word or bit or width or length or data or format)) and ((instruction or "op code" or operation) near3 (frequency or count or benchmark or profil\$3)) and (customis\$5 or customiz\$5 or programab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:39
S90	2	"5794003".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:38
S91	2	"6892293".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:38
S92	17	("5493508" "5535331" "5544067" "5555201" "5801958" "5867399" "6173434" "6324678" "6378123" "6421818" "6477697" "6760888" "6862563").pn. and ((dsp or risc) or (("32" and "16") near5 (word or bit or width or length or data or format)) or ((instruction or "op code" or operation) near3 (frequency or count or benchmark or profil\$3)) or (customis\$5 or customiz\$5 or programab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:50
S93	2	"5760888".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:51
S94	0	"mixed a6 bit and 32 bit " and "instruction set"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:51
S95	0	"mixed 16 bit and 32 bit " and "instruction set"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:51

S96	0	"16 bit and 32 bit " and "instruction set"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:52
S97	17138	("16" and "32") near3 (bit or width or length or format or data) and (instruction or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:54
S98	7382	("16" and "32") near3 (bit or width or length or format or data) and ("instruction set" or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:55
S99	1944	((("16") near3 (bit or width or length or format or data)) and ((("32") near3 (bit or width or length or format or data)) same ("instruction set" or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:57
S10 0	1629	((("16") near3 (bit)) and ((("32") near3 (bit)) same ("instruction set" or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:58
S10 1	1567	((("16") near2 (bit)) and ((("32") near2 (bit)) same ("instruction set" or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:58
S10 2	690	("16-bit" and "32-bit") same ("instruction set" or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 09:59
S10 3	588	("16-bit" and "32-bit") same ("instruction set" or isa) and (customis\$5 or customiz\$5 or programab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 10:00
S10 4	118	("16-bit" and "32-bit") same ("instruction set" or isa) and (customis\$5 or customiz\$5 or programab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7 or optimiz\$5) near3 ("instruction set" or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 10:00
S10 5	8	(frequency or count or benchmark or profil\$3) near3 instruction and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 10:36

S10 6	45	tricore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 10:38
S10 7	2969	"variable length encoding"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 10:39
S10 8	5	dsp same risc and "variable length encoding" and ((instruction or "op code" or operation) near3 (frequency or count or benchmark or profil\$3)) and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) and ("instruction set" or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 10:40
S10 9	41	("5982459").URPN.	USPAT	OR	OFF	2005/06/21 11:00
S11 0	1	("6862563").pn.	USPAT	OR	OFF	2005/06/21 13:29
S11 1	2	xtensa and mac16	USPAT	OR	OFF	2005/06/21 13:30
S11 2	5	risc and mac16	USPAT	OR	OFF	2005/06/21 13:54
S11 3	0	risc and tensa	USPAT	OR	OFF	2005/06/21 15:13
S11 4	279581	packed word	USPAT	OR	OFF	2005/06/21 15:14
S11 5	169	"packed word" and "instruction set"	USPAT	OR	OFF	2005/06/21 15:14
S11 6	165	"packed word" and "instruction set" and "16" and "32"	USPAT	OR	OFF	2005/06/21 15:15
S11 7	135	"packed word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7)	USPAT	OR	OFF	2005/06/21 15:28
S11 8	92	"packed word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) near3 (cpu or processor or dsp or isa or "instruction set")	USPAT	OR	OFF	2005/06/21 15:49

S11 9	269	"half word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) near3 (cpu or processor or dsp or isa or "instruction set")	USPAT	OR	OFF	2005/06/21 17:23
S12 0	3	"quarter word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) near3 (cpu or processor or dsp or isa or "instruction set")	USPAT	OR	OFF	2005/06/21 15:50
S12 1	0	"1/4 word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) near3 (cpu or processor or dsp or isa or "instruction set")	USPAT	OR	OFF	2005/06/21 15:50
S12 2	0	"half word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) near3 (cpu or processor or dsp or isa or "instruction set") and "16 bit" and "32 bit"	USPAT	OR	OFF	2005/06/21 15:51
S12 3	0	"half word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) near3 (cpu or processor or dsp or isa or "instruction set") and "16 bit"	USPAT	OR	OFF	2005/06/21 15:51
S12 4	184	"half word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) near3 (cpu or processor or dsp or isa or "instruction set") and ("16 near3 word) and ("32" near3 word)	USPAT	OR	OFF	2005/06/21 17:11
S12 5	0	"6101592".pn. and risc	USPAT	OR	OFF	2005/06/21 17:11
S12 6	4	manarray and risc	USPAT	OR	OFF	2005/06/21 17:11

S12 7	153	"half word" and "instruction set" and "16" and "32" and (customis\$5 or customiz\$5 or programmab\$5 or configur\$7 or reprogramab\$5 or reconfigur\$7) near3 (cpu or processor or dsp or isa or "instruction set") and risc	USPAT	OR	OFF	2005/06/21 17:23
S12 8	299	(risc or "reduced instruction set") and ((plurality or "one or more") near3 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 13:54
S12 9	11	(risc or "reduced instruction set") same ((plurality or "one or more") near3 slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 13:42
S13 0	70	(risc or "reduced instruction set") and ((plurality or "one or more") near3 slot) and ("16" near2 bit) and ("32" near2 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 13:55
S13 1	58	(risc or "reduced instruction set") and ((plurality or "one or more") near3 slot) and ("16" near2 bit) and ("32" near2 bit) not vliw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:01
S13 2	9	(risc or "reduced instruction set" or sparc or motorola or powerpc) and ((plurality or "one or more") near3 slot) and ("16" near2 bit) and ("32" near2 bit) not vliw and ((compress\$3 or exten\$4) near2 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:11
S13 3	10	(risc or "reduced instruction set" or sparc or motorola or powerpc) and ((plurality or "one or more" or multiple or sequence or arrangement) near3 slot) and ("16" near2 bit) and ("32" near2 bit) not vliw and ((compress\$3 or exten\$4) near2 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:53
S13 4	2	"6408428".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:11

S13 5	29	(risc or "reduced instruction set" or sparc or motorola or powerpc) and ((plurality or "one or more" or multiple or sequence or arrangement) near3 slot) not vliw and ((compress\$3 or exten\$4) near2 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:23
S13 6	6	("6853970" "6490716" "6629312").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:26
S13 7	50	(risc or "reduced instruction set" or sparc or motorola or powerpc) and ((plurality or "one or more" or multiple or sequence or arrangement) near3 slot) and (optimiz\$5 or optimis\$5) near3 (processor or core or asic or asip or "instruction set")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 14:55
S13 8	42	(risc or "reduced instruction set" or sparc or motorola or powerpc) and ((plurality or "one or more" or multiple or sequence or arrangement) near3 slot) and (optimiz\$5 or optimis\$5) near3 (processor or core or asic or asip or "instruction set") not vliw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:17
S13 9	61	(risc or "reduced instruction set" or sparc or motorola or powerpc) and ((plurality or "one or more" or multiple or sequence or arrangement) near3 slot) and (optimiz\$5 or optimis\$5 or compress\$3) near3 (processor or core or dsp or ic or asic or asip or "instruction set") and (extension or extended) not vliw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:35
S14 0	61	(risc or "reduced instruction set" or sparc or motorola or powerpc) and ((plurality or "one or more" or multiple or sequence or arrangement) near3 slot) and (optimiz\$5 or optimis\$5 or compress\$3) near3 (processor or core or dsp or ic or asic or asip or "instruction set") and (extension or extended) not vliw and (encod\$3 or opcode or slot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:22

S14 1	3541	(risc or "reduced instruction set" or sparc or motorola or powerpc) and (optimiz\$5 or optimis\$5 or compress\$3 or programmable or configur\$5 or reprogrammable or reconfigurable) near3 (processor or core or dsp or ic or asic or asip or "instruction set") and (extension or extended) not vliw and (instruction or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:36
S14 2	203	(risc or "reduced instruction set" or sparc or motorola or powerpc) and (optimiz\$5 or optimis\$5 or compress\$3 or programmable or configur\$5 or reprogrammable or reconfigurable) near3 (processor or core or dsp or ic or asic or asip or "instruction set") same (extension or extended) not vliw and (instruction or isa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:40
S14 3	32	xtensa	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:40
S14 4	46	("20030208723" "5361373" "5404319" "5450586" "5491640" "5493508" "5502661" "5535331" "5537580" "5544067" "5555201" "5696956" "5748875" "5801958" "5812416" "5819050" "5819064" "5841663" "5854929" "5854930" "5867399" "5870588" "5898595" "5994892" "5999734" "6006022" "6026219" "6035123" "6110223" "6173434" "6182206" "6195593" "6226776" "6269467" "6317860" "6321369" "6324678" "6360350" "6378123" "6385757" "6408428" "6421818" "6457173" "6477683" "6477697" "6637018").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 15:47
S14 5	12	("4992934" "5301325" "5307492" "5339238" "5396631" "5450575" "5598560").PN. OR ("6035123").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 16:08

S14 6	179	(opcode or "operation code") near3 (lsb or (last near2 bits) or "least significant bit")	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/22 16:09
S14 7	120	(opcode or "operation code") near3 (lsb or (last near2 bits) or "least significant bit") and risc	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/22 18:22
S14 8	1	"6477683".pn. and dsp	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/22 18:31
S14 9	1	"6477683".pn. and register	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 07:59